

# ICY DOCK®

## Tough Armor Series

MB991IK-B

MB992SK-B

MB994SP-4S

MB994SP-4SB-1

MB994IPO-3SB

MB996SP-6SB



MB991IK-B



MB992SK-B



MB994SP-4S(SATA/SAS HDD)



MB994SP-4SB-1(SATA HDD Only)



MB994IPO-3SB



MB996SP-6SB



BRINGING INNOVATION & DIFFERENCE




# ICY DOCK®


**ATmax**  
CREMAX TECH. CO., LTD.

## MB991IK-B 2.5" SAS/SATA Mobile Rack for 3.5" Device Bay



BRINGING INNOVATION & DIFFERENCE







- Supporting 2.5" SATAI/II/III HDD&SSD, SAS HDD
- Full metal body (material: SECC)
- High Flow Air Vent at tray and body for better cooling
- Optional SAS port for additional back up when main SAS port disconnect (SAS HDD only)
- Key lock design for data security
- LED indicator for device power & access
- Accommodates hard drives or SSD with 7mm, 9.5mm, 12.5mm & 15mm Height



## Anti-Vibration Design




**Anti-Vibration Design:** To Protecting your HDD/SSD works stably without heavy vibration



**EZ-Slide Mini Tray System:** Hold your HDD/SSD in place. The trays are compatible to MB994SP-4S, MB994SP-4SB-1 and MB994IPO-3SB



- **Model Number :**
- MB9911K-B
- **Color :**
- Matt Black
- **Host Interface :**
- 7 pin SATA x 2
- **Drive Fit :**
- 2.5" SAS or SATA I / II / III HDD / SSD x 1
- **Drive Bay :**
- 3.5" Bay x 1
- **Transfer Rate :**
- Up to 6 Gb/sec. (depending on hard drive speed)
- **Insert& Extract connection Via :**
- 15 pin direct hard drive connection
- **Structure :**
- SECC
- **Drive Cooling :**
- Metal heat dispersion
- **LED Indication :**
- Device Power & Drive Activity
- **LED Color :**
- Green : Device Power ; Amber : Drive Activity



# ICY DOCK®


**ATAMAX**  
CREMAX TECH. CO., LTD.

## MB992SK-B 2x2.5" SATA Mobile Rack For 3.5" Device Bay



BRINGING INNOVATION & DIFFERENCE

- Full Metal construction
- Multi-Flow Technology (MFT) – provides excellent passive cooling
- Active Power Technology (APT) - individual led only powers up if there is drive installed in each bay
- Supports SATA 6Gbps and hot swap



- EMI Grounding – protects hard drives from electrical damage
- Eagle-hook lock system & 2-segment safeguard key lock keeps drives secure within the enclosure
- Fits 2 x 7mm to 9.5mm 2.5" SATA drives/ SSD's in a 3.5" floppy drive bay
- The trays are compatible to MB996SP-6SB's



# ICY DOCK®

**ATAMAX**  
CREMAX TECH. CO., LTD.

**Model Number :**

MB992SK-B

**Color :**

Matt Black

**Host Interface :**

2 x 7 pin SATA

**Drive Fit :**

2 x 2.5" SATA I/II/III SSD or  
HDD (9.5mm thickness)

**Drive Bay :**

3.5" floppy drive bay

**Transfer Rate :**

Up to 6 Gb/sec. (depending on  
hard drive speed)

**Insert & Extract connection**

**Via :**

Direct hard drive SATA  
connection

**Structure :**

Full Metal

**Device Power :**

15 pin SATA power x 1

**Drive Cooling :**

Airflow vents with metal heat  
dissipation

**Power Indicator :**

Solid Green LED (Power On)

**HDD Access Indicator :**

Flashing Amber LED



**BRINGING INNOVATION & DIFFERENCE**



# ICY DOCK®

**ATmax**  
CREMAX TECH. CO., LTD.

MB994SP-4S 4 x 2.5" HDD in 1 x 5.25" bay SAS / SATA  
Hot Swap Backplane RAID cage



BRINGING INNOVATION & DIFFERENCE





**SUPPORT**  
**SATA 6Gbps**




- Supporting 4x 2.5" SATA/II/III HDD&SSD, SAS HDD in a 5.25" space
- Full metal body & 2x 40mm ball bearing fan to keep cooling efficiently
- LED indicator for device power & access
- Accommodates hard drives or SSD with 7mm, 9.5mm, 12.5mm & 15mm Height
- The trays is compatible to MB991IK-B, MB994SP-4SB-1, MB994IPO-3SB

## Anti-Vibration Design



**Anti-Vibration Design:** To Protecting your HDD/SSD works stably without heavy vibration



**EZ-Slide Mini Tray System:** Hold your HDD/SSD in place. The trays are compatible to MB991IK-B, MB994SP-4SB-1 and MB994IPO-3SB




- **Model Number :**
- MB994SP-4S
- **Color :**
- Matt Black
- **Host Interface :**
- 7 pin SATA x 4
- **Drive Fit :**
- 2.5" SAS or SATA I /II/III HDD / SSD x 4
- **Drive Bay :**
- 5.25" Bay x 1
- **Transfer Rate :**
- Up to 6 Gb/sec. (depending on hard drive speed)
- **Insert& Extract connection Via :**
- 15 pin direct hard drive connection
- **Structure :**
- Aluminum & SECC
- **Drive Cooling :**
- 40mm rear cooling fan x 2 & metal heat dispersion
- **LED Indication :**
- Device Power & Drive Activity
- **LED Display Color :**
- Green : Device Power ; Amber : Drive Activity



# ICY DOCK®



**ATmax**  
CREMAX TECH. CO., LTD.

MB994SP-4SB-1 4 x 2.5" HDD in 1 x 5.25" bay SATA  
Hot Swap Backplane RAID cage



BRINGING INNOVATION & DIFFERENCE






**SUPPORT**  
**SATA 6Gbps**

- Supporting 4x 2.5" SATA I/II/III HDD&SSD in a 5.25" space
- Full metal body & 2x 40mm ball bearing fan to keep cooling efficiently
- Fan power switch: When using 4x SSDs, you can turn the fan off to save your power usage
- Single 4 pin power to activate 4x SATA HDD/SSD
- LED indicator for device power & access
- Accommodates hard drives or SSD with 7mm, 9.5mm, 12.5mm & 15mm Height
- The trays is compatible to MB991IK-B, MB994SP-4SP-4S, MB994IPO-3SB

## Anti-Vibration Design



**Anti-Vibration Design:** To Protecting your HDD/SSD works stably without heavy vibration



**EZ-Slide Mini Tray System:** Hold your HDD/SSD in place. The trays are compatible to MB9911K-B, MB994SP-4S and MB994IPO-3SB



- **Model Number :**
- MB994SP-4SB-1
- **Color :**
- Matt Black
- **Host Interface :**
- 7 pin SATA x 4
- **Drive Fit :**
- 2.5" SATA I / II / III SSD or hard drive x 4
- **Drive Bay :**
- Single 5.25" half height device bay
- **Transfer Rate :**
- Up to 6 Gb/sec. (depending on hard drive speed)
- **Insert & Extract connection Via :**
- Direct SATA hard drive connection
- **Structure :**
- Aluminum & SECC
- **Device Power :**
- Single 4 pin Molex power
- **Drive Cooling :**
- Dual 40mm rear cooling fan + fan power switch
- Metal heat dispersion
- **Power Indicator :**
- Solid Green LED
- **HDD Access Indicator :**
- Flashing Amber LED





# ICY DOCK®

**ATmax**  
CREMAX TECH. CO., LTD.

## MB994IPO-3SB 2x2.5" SAS/SATA HDD + 1x Slim ODD Rack




BRINGING INNOVATION & DIFFERENCE





- Fits 2 x 2.5" SATA/SAS hard drive or SSD & 1 x slim optical disk drive (ODD)
- Accommodates hard drives or SSD with 7mm, 9.5mm, 12.5mm & 15mm Height
- Supports SATA III & SAS 2.0 interface
- 2 x 4 pin power connector to properly power all components
- Active Power Technology – Device & fan only powers up if a drive is installed
- The Trays is compatible to MB991IK-B, MB994SP-4S and MB994SP-4SB-1





- Available 40mm cooling fan
- On & off switch for cooling fan, reduce the power usage and fan noise when using SSD
- Optional 2<sup>ND</sup> SATA Port for additional back up when SAS HDD disconnect (SAS HDD only)

- Full aluminum body construction
- Status LED on Front for each drive



# ICY DOCK®

**CREMAX**  
CREMAX TECH. CO., LTD.

**Model Number :**

MB994IPO-3SB

**Color :**

Matt Black

**Host Interface :**

7 pin SATA x 4

**Drive Fit :**

2.5" SAS / SATA HDD or SSD  
x 2

Slim type ODD x 1

**Drive Bay :**

Single 5.25" half height device  
bay

**Transfer Rate :**

Up to 6 Gb/sec. (depending on  
hard drive speed)

**Insert & Extract connection  
Via :**

Direct SATA connection

**Structure :**

Aluminum & SECC

**Device Power :**

Dual 4 pin Molex power

**Drive Cooling :**

One 40mm rear cooling fan +  
fan power switch


Metal heat dispersion

**Power Indicator :**

Solid Green LED (Power On)

**HDD Access Indicator :**

Flashing Amber LED



**BRINGING INNOVATION & DIFFERENCE**

# ICY DOCK®


**ATmax**  
CREMAX TECH. CO., LTD.

## MB996SP-6SB 6x2.5" SATA HDD Hot Swap Mobile Rack




BRINGING INNOVATION & DIFFERENCE

- Fits 6 x 7mm to 9.5mm 2.5" SATA hard drives or SSD's in a single 5.25" bay for high performance RAID applications
- Full Metal construction with aluminum body, to protect your drives
- Removable tray system for easy maintenance
- Supports SATA 6Gbps and hot swap
- Switch between 4-pin and 15-pin power connection with included adapter




- Eagle-hook lock system keeps drives secured within the enclosure
- Anti-Vibration Technology (AVT) - creates a safe environment for hard drives or SSDs
- The trays are compatible to MB992SK-B





- LED indicator for HDD Power and HDD access
- 3-Mode Fan Speed Control - adjust cooling settings (High, Low, or Off) for your specific needs

•Active Power Technology (APT) – individual led & cooling fan only powers up if there is a drive installed in the bay.



# ICY DOCK®

**ATAMAX**  
CREMAX TECH. CO., LTD.

**Model Number :**

MB996SP-6SB

**Color :**

Matt Black

**Host Interface :**

6 x 7 pin SATA

**Drive Fit :**

6 x 2.5" SATA I / II / III SSD or  
HDD (9.5mm thickness)

**Drive Bay :**

Single 5.25" half height device  
bay

**Transfer Rate :**

Up to 6 Gb/sec. (depending on  
hard drive speed)

**Insert & Extract connection  
Via :**

Direct SATA hard drive  
connection

**Structure :**

Aluminum & SECC

**Device Power :**

Dual 4 pin Molex power

**Drive Cooling :**


40mm rear cooling fan with fan  
switch (High/ Low/ Off)  
Metal heat dispersion

**Power Indicator :**

Solid Green LED

**HDD Access Indicator :**

Flashing Amber LED



**BRINGING INNOVATION & DIFFERENCE**